



Glowrail

spec sheet - USA

Key features

Tailored: Fully tailorable in curved/straight/angular and helical sections with even light diffusion throughout.

LED: Wide range of light outputs, colour temperatures and colours.

Control: Switched, 0-10/1-10v, DALI, DMX and SPI dimming protocols.

Material: Stainless Steel, Timber, Anodised Aluminium with various cladding options.

Aesthetic: Harmonised joins and mechanical fixing for discreet architectural integration.

Longevity: 50,000+ LED lifetime expectancy.

Sustainability: Maintainable LED modules.

UL Certifie: cULus Listed to UL 2108 (IFDR) - UL File No.: E479122

Application: Interior and exterior pathway and stair lighting.

Glowrail by The Light Lab



Glowrail

the light lab
bright ideas

Product Details Glowrail



Specification

Output	SO	HO
Power Consumption	9.6 W/m	14.4 W/m
Efficacy	54 Lm/W	73 Lm/W
Voltage	48VDC	48VDC
Voltage (wet locations)	24VDC	24VDC
IP Rating	IP40 or IP65	
UL certified	cULus Listed to UL 2108 (IFDR) UL File No.: E479122	
LED Colour ¹	2.7K/3.0K/4.0K/5.0K, RGBW, WWCW (White Mix 2.7K - 6.5K)	
Diameter ²	See X-Section Diagram	
Mount Type	Post (PT), Bracket (BK), Balustrade (BD)	
Handrail Finish ³	Brushed S/Steel (BR) / Polished S/Steel (PO) Powder-coated (PC) / Leather Cladding (LC) Aluminium (AL)	
Control	0-10V/1-10V/DMX/DALI/SPI	

Notes

- 1 Other colours available on request.
- 2 For integration into a bespoke profile, please contact the team.
- 3 Stainless Steel 304 or 316. Other finishes available on request.

Order code


GR-Diameter-IP Rating-LED Colour-Mount Type-Finish-Length-Dimming

Example: Code: GR42-SO-IP40-SS-3.0K-BK-BR-6000-DALI


Description: Glowrail42, standard output, IP40, 48VDC constant voltage, LED with 3000K colour temperature. bracket mounted in brushed stainless steel. Length=6000mm. DALI Dimmable




X Section



Typical Bracket Coverplate



Photometric Info



Photometric data from a GL25-HO fitting
LTD & IES files available on request



Project Images




PoMo, Trondheim




London College of Fashion



University of Edinburgh



Hiscox, York




Wellington Place, Leeds



St James Quarter, Edinburgh



Purdy's Wharf, Canada



Private School, London



Shrewsbury Flaxmill

